Journal of Biotechnology, 7 (1988) 340–342
Elsevier

Author Index

Akimoto, S., see Mihama, T. (7) 141

Bernardes, E., see Coutinho, C. (7) 23
Bernier, R.F. and Stutzenberger, F.J.
Stabilization of β-glucosidase by polyhydric alcohols (7) 293
Bidey, S.P.
The in vitro bioassay of hormones using cultured mammalian cells (7) 259
Birnbaum, D., see Kunze, G. (7) 33
Bode, R., see Kunze, G. (7) 33
Bungay, H.R., see Mankad, T. (7) 161

Chan, K., see Nga, B.H. (7) 83
Chan, Y.N., see Nga, B.H. (7) 83
Cogoli, A., see Gmünder, F.K. (7) 217
Coutinho, C., Bernardes, E., Félix, D. and Panek, A.D.
Trehalose as cryoprotectant for preservation of yeast strains (7) 23

Döbeli, H., Gentz, R., Jucker, W., Garotta, G., Hartmann, D.W. and Hochuli, E.
Role of the carboxy-terminal sequence on the biological activity of human immune interferon (IFN-γ) (7) 199
Dunn, N.W., see Liu, C.-Q. (7) 61
Dziewulski, D.M., see Haughney, H.A. (7) 113

Einsele, A., see Schürch, U. (7) 179
Eliaeson, T., see Förberg, C. (7) 319
Enfors, S.-O., see Hellebust, H. (7) 185
Eppenberger, H.M., see Schürch, U. (7) 179
Ernst, J.F. and Kawashima, E.
Variations in codon usage are not correlated with heterologous gene expression in *Saccharomyces cerevisiae* and *Escherichia coli* (7) 1

Félix, D., see Coutinho, C. (7) 23
Fiechter, A., see Scheidegger, A. (7) 131
Fiechter, A., see Strässle, C. (7) 299
Förberg, C., Eliaeson, T. and Häggström, L.
Correlation of theoretical and experimental yields of phenylalanine from non-growing cells of a rec *Escherichia coli* strain (7) 319
Fournier, P., see Nga, B.H. (7) 83
Friebertshäuser, J., see Wenzel, E. (7) 147
Fuhrmann, G.F., see Wenzel, E. (7) 147

Gaillardin, C.M., see Nga, B.H. (7) 83
Garotta, G., see Döbeli, H. (7) 199
Gentz, R., see Döbeli, H. (7) 199
Gmünder, F.K., Nordau, C.-G., Tschopp, A., Huber, B. and Cogoli, A.
Dynamic cell culture system: a new cell cultivation instrument for biological experiments in space (7) 217
Goodman, A.E., see Liu, C.-Q. (7) 61

Häggström, L., see Förberg, C. (7) 319
Hartmann, D.W., see Döbeli, H. (7) 199
Haughney, H.A., Dziewulski, D.M. and Nauman, E.B.
On material balance models and maintenance coefficients in CSTRs with various extents of biomass recycle (7) 113
Haustein, D., see Wenzel, E. (7) 147
Hecker, M., see Kunze, G. (7) 33
Hellebust, H., Veide, A. and Enfors, S.-O.
Proteolytic degradation of fused protein A-β-galactosidase in *Escherichia coli* (7) 185
Henley, J.P., see Sadana, A. (7) 95
Heslot, H., see Nga, B.H. (7) 83
Hochuli, E., see Döbeli, H. (7) 199
Hofemeister, J., see Kunze, G. (7) 33
Huber, B., see Gmünder, F.K. (7) 217
Huber, F.M., Pieper, R.L. and Tietz, A.J.
The formation of daptomycin by supplying decanoic acid to *Streptomyces roseosporus* cultures producing the antibiotic complex A21978C (7) 283

Inada, Y., see Mihama, T. (7) 141

Jayaraman, K., see Souza, A.E. (7) 71
Jucker, W., see Döbeli, H. (7) 199

0168-1656/87/$03.50 © 1987 Elsevier Science Publishers B.V. (Biomedical Division)

Kawashima, E., see Ernst, J.F. (7) 1
Kisumi, M., see Nishimura, N. (7) 11
Kramer, H., see Schürch, U. (7) 179
Küenzi, M.T., see Scheidegger, A. (7) 131
Kula, M.-R., see Sambale, C. (7) 49
Kunze, G., Meixner, M., Steinborn, G., Hecker, M., Bode, R., Samsonova, I.A., Birnbaum, D. and Hofemeister, J.
Expression in yeast of a Bacillus alpha-amylase gene by the ADH1 promoter (7) 33

Lafferty, R.M., see Schörgendorfer, K. (7) 247
Lim, E.W., see Nga, B.H. (7) 83
Liu, C.-Q., Goodman, A.E. and Dunn, N.W.
Expression of cloned *Xanthomonas* D-xylose catabolic genes in *Zymomonas mobilis* (7) 61

Mankad, T. and Bungay, H.R.
Model for microbial growth with more than one limiting nutrient (7) 161
McIntire, L.V., see Petersen, J.F. (7) 229
Mehochev, D., see Nikolov, L. (7) 87
Meixner, M., see Kunze, G. (7) 33
Mihama, T., Yoshimoto, T., Ohwada, K., Takahashi, K., Akimoto, S., Saito, Y. and Inada, Y.
Magnetic lipase adsorbed to a magnetic fluid (7) 141
Misawa, N., Okamoto, T. and Nakamura, K.
Expression of a cellulase gene in *Zymomonas mobilis* (7) 167

Nai, P.C., see Nga, B.H. (7) 83
Nakamura, K., see Misawa, N. (7) 167
Nauman, E.B., see Haughney, H.A. (7) 113
Netter, K.J., see Wenzel, E. (7) 147
Nga, B.H., Heslot, H., Gaillardin, C.M., Fournier, P., Chan, K., Chan, Y.N., Lim, E.W. and Nai, P.C.
Use of nystatin for selection of tributyrin non-utilising mutants in *Yarrowia lipolytica* (7) 83
Nikolov, L., Valkova-Valchanova, M. and Mehochev, D.
Oxidation of high ferrous iron concentrations by chemolithotrophic *Thiobacillus ferrooxidans* in packed bed bioreactors (7) 87
Nishimura, N. and Kisumi, M.
Transductional construction of aspartase-hyperproducing strain of *Escherichia coli* B (7) 11
Nordau, C.-G., see Gmünder, F.K. (7) 217
Nüesch, J., see Scheidegger, A. (7) 131

Ohwada, K., see Mihama, T. (7) 141
Okamoto, T., see Misawa, N. (7) 167

Panek, A.D., see Coutinho, C. (7) 23
Papoutsakis, E.T., see Petersen, J.F. (7) 229
Petersen, J.F., McIntire, L.V. and Papoutsakis, E.T.
Shear sensitivity of cultured hybridoma cells (CRL-8018) depends on mode of growth, culture age and metabolite concentration (7) 229
Pieper, R.L., see Huber, F.M. (7) 283
Poutanen, K.
An α-L-arabinofuranosidase of *Trichoderma reesei* (7) 271

Rajan, V., see Souza, A.E. (7) 71

Sadana, A. and Henley, J.P.
Influence of pH on enzyme stabilization: an analysis using a series-type mechanism (7) 95
Saito, Y., see Mihama, T. (7) 141
Sambale, C. and Kula, M.-R.
Microbial hydrolysis of amino acid carbamates (7) 49
Samsonova, I.A., see Kunze, G. (7) 33
Scheidegger, A., Küenzi, M.T., Fiechter, A. and Nüesch, J.
Effect of glucose and oxygen on β-lactam biosynthesis by *Cephalosporium acremonium* (7) 131
Schörgendorfer, K., Schwab, H. and Lafferty, R.M.
Molecular characterization of *Bacillus subtilis* levanase and a C-terminal deleted derivative (7) 247
Schürch, U., Kramer, H., Einsele, A., Widmer, F. and Eppenberger, H.M.
Experimental evaluation of laminar shear stress on the behaviour of hybridoma mass cell cultures, producing monoclonal antibodies against mitochondrial creatine kinase (7) 179
Schwab, H., see Schörgendorfer, K. (7) 247
Sonnleitner, B., see Strässle, C. (7) 299
Souza, A.E., Rajan, V. and Jayaraman, K.
Cloning and expression in *Escherichia coli* of two DNA fragments from *Bacillus sphaericus* encoding mosquito-larvicidal activity (7) 71
Steinborn, G., see Kunze, G. (7) 33
Strässle, C., Sonnleitner, B. and Fiechter, A.
A predictive model for the spontaneous synchronization of *Saccharomyces cerevisiae* grown in continuous culture. I. Concept (7) 299
Stutzenberger, F.J., see Bernier, R.F. (7) 293

Takahashi, K., see Mihama, T. (7) 141
Tietz, A.J., see Huber, F.M. (7) 283
Tschopp, A., see Gmünder, F.K. (7) 217

Valkova-Valchanova, M., see Nikolov, L. (7) 87
Veide, A., see Hellebust, H. (7) 185

Wenzel, E., Friebertshäuser, J., Haustein, D., Netter, K.J. and Fuhrmann, G.F.
Isolation of cytochrome P-448 from *Saccharomyces cerevisiae* H 1022 and characterization by different antibodies (7) 147
Widmer, F., see Schürch, U. (7) 179

Yoshimoto, T., see Mihama, T. (7) 141

Journal of Biotechnology, 7 (1988) 343–344
Elsevier

Subject Index

A21978C, (7) 283
Adenylate cyclase, (7) 11
Adsorption, (7) 141
Agitation, (7) 229
L-Amino acid, (7) 49
Amino acid carbamate, (7) 49
α-Amylase, (7) 33
Antibody, (7) 147
Arabinosidase, (7) 271
Aspartase, (7) 11

Bacillus amyloliquefaciens, (7) 33
Bacillus sphaericus, (7) 71
Bacterial ferrous iron oxidation, (7) 87
Bacterial leaching, (7) 87
Benzene, (7) 141
Bioassay, (7) 259
Biomass recycle, (7) 113
Biosynthesis, (7) 131

Carbon balance, (7) 319
Cell cultivation in space, (7) 217
Cell culture, (7) 259
Cell culture instrument, (7) 217
Cell damage, (7) 229
Cellulase gene expression, (7) 167
Cephalosporin C, (7) 131
Cephalosporium acremonium, (7) 131
Cloned sequence, (7) 71
Cloning, (7) 61
Cloning vector, (7) 167
Codon usage, (7) 1
Continuous culture, (7) 299
Creatine kinase, mitochondrial, (7) 179
Cryoprotectant, (7) 23
Cytochrome P-448, (7) 147

Daptomycin, (7) 283
Dehydration, (7) 23

Enzyme, (7) 131
Enzyme inactivation, (7) 95
Escherichia coli, (7) 1; (7) 11; (7) 185
Ester synthesis, (7) 141
Extracellular lipase activity, (7) 83

Flight hardware, (7) 217
Fusion protein, (7) 185

β-Galactosidase, (7) 185
Gene expression, (7) 1; (7) 33; (7) 61
Glucose regulation, (7) 131
β-Glucosidase, (7) 293
Growth model, (7) 161

pH, (7) 95
Hemicellulase, (7) 271
Hormone, (7) 259
Hybridoma, (7) 179
Hybridoma culture, (7) 229

Immune interferon, (7) 199
Inulin, (7) 247
In vitro transcription–translation, (7) 247

Laminar shear stress, (7) 179
Limiting nutrient, (7) 161

Magnetic fluid, (7) 141
Magnetic lipase, (7) 141
Maintenance coefficient, (7) 113
Mass cell culture, (7) 179
Material balance, (7) 113
Microbial larvicide, (7) 71

Nystatin selection, (7) 83

Oxygen, (7) 131

Phenylalanine, (7) 319
Polyhydric alcohol, (7) 293
Precursing, (7) 283
Protease, (7) 185
Protein A, (7) 185
Protein stability, (7) 185

Rate constant, (7) 95
Receptor binding site, (7) 199
Recombinant DNA, (7) 247
Recombinant *E. coli*, (7) 319

0168-1656/87/$03.50 © 1987 Elsevier Science Publishers B.V. (Biomedical Division)

Saccharomyces cerevisiae, (7) 1; (7) 33; (7) 147; (7) 299
Secretion, (7) 1
Sequence analysis, (7) 247
Shear sensitivity, (7) 229
Space biology, (7) 217
Specific growth rate, (7) 161
Spontaneous synchronization, (7) 299
Stability, (7) 95
Stereospecific hydrolysis, (7) 49
Structure-activity relationship, (7) 199
Structured and segregated model, (7) 299
Sucrose hydrolysis, (7) 247

Theoretical yield, (7) 319
Thermal stability, (7) 293
Thermomonospora curvata, (7) 293
Thiobacillus ferrooxidans, (7) 87
Transductional construction, (7) 11
Transformation, (7) 33
Trehalose, (7) 23
Tributyrin non-utilising mutants, (7) 83
Trichoderma, (7) 271

Xylanase, (7) 271
D-Xylose catabolism, (7) 61
D-Xylose isomerase, (7) 61

Yarrowia lipolytica, (7) 83
Yeast, (7) 23
Zymomonas, (7) 61
Zymomonas mobilis, (7) 167